


Cisco Network Assurance Engine(CANE) Visual Style Guideline


January 27, 2019

Buttons


Action buttons



Disabled button




Loading state (If needed)




Checkbox

Unchecked



Checked




Disabled




Radio Button


Unselected



Selected



Disabled





Cisco Network Assurance Engine

Username

Password

Local



Sign in

[Forgot password?](#)



© 2018 Cisco Systems, Inc. All rights reserved.

Login Padding Specifications

The image shows a login page for the Cisco Network Assurance Engine. The page layout includes a logo at the top, a title, three input fields (Username, Password, and a dropdown menu), a 'Sign in' button, a 'Forgot password?' link, and a Cisco logo at the bottom. Red dimension lines with numbers indicate the padding for various elements:

- 6: Vertical padding above the top logo.
- 2: Vertical padding below the top logo.
- 3: Vertical padding above the 'Username' label.
- 2: Vertical padding between the 'Username' and 'Password' labels.
- 3: Vertical padding above the 'Password' label.
- 2: Vertical padding between the 'Password' and 'Local' labels.
- 3: Vertical padding above the 'Local' label.
- 3: Vertical padding below the 'Local' label.
- 2: Vertical padding above the 'Sign in' button.
- 2: Vertical padding above the 'Forgot password?' link.
- 1: Vertical padding above the bottom Cisco logo.
- 6: Vertical padding below the bottom Cisco logo.

© 2018 Cisco Systems, Inc. All rights reserved.

Login Width & Height Specifications

The image shows a login page for the Cisco Network Assurance Engine. The page is centered within a content area. The login form includes a logo at the top, the title "Cisco Network Assurance Engine", and three input fields: "Username", "Password", and "Local" (a dropdown menu). Below the input fields is a "Sign in" button and a "Forgot password?" link. At the bottom of the page is the Cisco logo and the copyright notice "© 2018 Cisco Systems, Inc. All rights reserved.".

Annotations and dimensions:

- A vertical red line on the left side of the login box is labeled "60.5", indicating the height of the login form.
- A horizontal red line at the bottom of the login box is labeled "30", indicating the width of the login form.
- A horizontal red line at the bottom of the content area is labeled "70", indicating the width of the content area.
- A vertical red line at the top of the content area is labeled "Vertically center align the login box within the content area".
- A horizontal red line on the right side of the content area is labeled "Horizontally center align the login box within the content area".

Login Elements Specifications

The image shows a login page for the Cisco Network Assurance Engine. It features a white background with a blue geometric pattern on the right side. The page contains a logo, a title, input fields for Username, Password, and a dropdown menu for Local, a Sign in button, a forgot password link, the Cisco logo, and a copyright notice. Red lines connect callout boxes to these elements, providing specific design specifications.



Candid Logo
Size: 7.2

Cisco Network Assurance Engine

Product Name
Font style: CiscoSans Thin
Font size: 3.2
Font color: #333333

Username

Password

Local

Login Box
Bg color: #FFFFFF
Opacity: 98%

Sign in

Forgot password?

Text Link
Font weight: 400
Font size: 1.4
Font color: #00A3ED
Text-Decoration: Underline on hover



Cisco Logo
Size: 4.8
Color: #00A3ED

© 2018 Cisco Systems, Inc. All rights reserved.

Copy Right Text
Font weight: 400
Font size: 1.1
Font color: #555555

Login with Error Message



Cisco Network Assurance Engine

User123

.....

Local

Invalid username or password.

3

Sign in

[Forgot password?](#)



© 2018 Cisco Systems, Inc. All rights reserved.

TextBox


Normal with hint text

Hint text label



Normal with input text

Data text



Focus state


Inputting data



Input text with error message


Data text

Error message












Disabled State

Disabled text...




Buttons

Table Title


	Status	User Name	Activity	Locale
1	 Offline	aaa@email.com	Activated	English
2	 Online	bbb@email.com	Activated	English
3	 Online	ccc@email.com	Activated	English
4	 Offline	ddd@email.com	Suspended	English
5	 Online	eee@email.com	Activated	English
6	 Online	fff@email.com	Activated	English
7	 Online	ggg@email.com	Activated	English
8	 Online	hhh@email.com	Activated	English
9	 Online	lulu@gmail.com	Suspended	English

Tile - Fabrics


[Running Tile](#)



[Stopped Tile](#)



[Collecting Tile](#)



Tile - Fabrics Specifications

Fabric Name
 Font style: CiscoSans 100
 Font size: 1.8
 Font color: #333333

Information Text
 Font style: CiscoSans 400
 Font size: 1.3
 Font color: #999999

Status Icon
 Size: 10
 Running color: #6CC04A
 Stopped color: #DDDDDD
 Collecting color: #999999

Fabric Name

Data Collection




Running



Fabric Name

Data Collection




Stopped



Alignment
 Center align
 both horizontally
 and vertically the
 Data Collection
 info within the tile

Fabric Name

Data Collection



Collecting Data...



Loading Icon
 See Loader Specification

Note: The loader is smaller than status icon so please maintain the same spacing relationship between the icons and text to prevent text shifting when it is collecting data

Fabric Name

Data Collection



Running




Action Icon Button
 Style: 1.6
 Active color: #999999
 Disabled color: #DDDDDD
 Pressed/On color: #0096D6

Fabric Name

Data Collection



Stopped




Fabric Name

Data Collection




Collecting Data...




Loader


Large Loader



Small Loader



Large loader on dark background



Small loader on dark background








Chart - Donut




Dashlet



Dashlet Title Link
Font style: CiscoSans 700
Font size: 1.5
Font color: #004599


Dashlet title



Action Icon Button
Size: 1.6
Active color: #999999
Disabled color: #DDDDDD
Pressed/On color: #338FFF

Dashlet
Border color: #DDDDDD


Dashlet Layout



Dashlet - Donut Chart

With Chart Label

Without Chart Label




Center align the donut chart itself within the dashlet content area

Header



Candid - Fabric 1.Coke



Icon Default State



Icons
Icon size: 1.6
Icon color: #999999

Icon Hover State



Icons
Icon size: 1.6
Icon color: #0096D6

Profile Border
Border size: 0.3
Border diameter: 2.4
Border color: #0096D6

Icon Pressed/Active State




Icons
Icon size: 1.6
Icon color: #FFFFFF
Background size: 2.4
Background color: #0096D6

Profile Border
Border size: 0.3
Border diameter: 2.4
Border color: #0096D6



Notification Badge
Badge diameter: 1.8
Badge color: #CF2030
Badge border: 0.1
Badge border color: #FFFFFF
Font style: CiscoSans 700
Font size: 1.2



Content Header

October 11, 2016 10:33 AM

Dashboard

Assurance

Reports

Tools

October 11, 2016 10:33 AM

Epoch Timestamp
Font style: CiscoSans
Font weight: 100
Font size: 1.6
Font color: #666666

5

Dashboard

Assurance




Reports

Tools

Navigation Label (Pressed/active)
Font style: CiscoSans
Font weight: 400
Font size: 1.6
Font color: #0096D6

Navigation Label (Default)
Font style: CiscoSans
Font weight: 400
Font size: 1.6
Font color: #666666


Scrolling Behavior




Header Dropdown

- Link label (Selected/Hover)
- Link label (Default)
- Link label (Disabled)
- About

- Link label (Selected/Hover)
- Link label (Default)
- Link label (Disabled)
- About



Buttons



Product Name

v 2.3.1.4t178

Username or email

Password

Sign in

Remember me

[Forgot password](#)

© 2016 Cisco Systems, Inc. All rights reserved.

Buttons

Remote Users

			User Name	Activity		Locale
1	<input checked="" type="checkbox"/>	⚠	aaa@email.com	Activated	🔌 Offline	English
2	<input type="checkbox"/>	⚠	bbb@email.com	Activated	✅ Online	English
3	<input type="checkbox"/>	⚠	ccc@email.com	Activated	✅ Online	English
4	<input type="checkbox"/>	⚠	ddd@email.com	Suspended	🔌 Offline	English
5	<input type="checkbox"/>		eee@email.com	Activated	✅ Online	English
6	<input checked="" type="checkbox"/>		fff@email.com	Activated	✅ Online	English
7	<input type="checkbox"/>		ggg@email.com	Activated	✅ Online	English
8	<input type="checkbox"/>		hhh@email.com	Activated	✅ Online	English
9	<input type="checkbox"/>		lulu@gmail.com	Suspended	✅ Online	English










1 2 3 4 5 6 7 ... 105 > Showing 1-10 of 1047 Projects



   | Reset Password

Buttons

Table Title

	Status	User Name	Activity	Locale
1	 Offline	aaa@email.com	Activated	English
2	 Online	bbb@email.com	Activated	English
3	 Online	ccc@email.com	Activated	English
4	 Offline	ddd@email.com	Suspended	English
5	 Online	eee@email.com	Activated	English
6	 Online	fff@email.com	Activated	English
7	 Online	ggg@email.com	Activated	English
8	 Online	hhh@email.com	Activated	English
9	 Online	lulu@gmail.com	Suspended	English

Showing 9 of 9

Buttons

Table

Table Basic






















Status	User Name	Activity	Locale
 Offline	aaa@email.com	Activated	English
 Online	bbb@email.com	Activated	English
 Online	ccc@email.com	Activated	English
 Offline	ddd@email.com	Suspended	English
 Online	eee@email.com	Activated	English
 Online	fff@email.com	Activated	English
 Online	ggg@email.com	Activated	English
 Online	hhh@email.com	Activated	English
 Online	lulu@gmail.com	Suspended	English

Table with load more scrolling and filter

	Status	User Name	Activity	Locale
				
61	 Offline	aaa@email.com	Activated	English
62	 Online	bbb@email.com	Activated	English
63	 Online	ccc@email.com	Activated	English
64	 Offline	ddd@email.com	Suspended	English
65	 Online	eee@email.com	Activated	English
66	 Online	fff@email.com	Activated	English
67	 Online	ggg@email.com	Activated	English
68	 Online	hhh@email.com	Activated	English
69	 Online	lulu@gmail.com	Suspended	English


Showing 69 of 4520 | [Load more](#) ▼

Main Menu



Dropdown Menu


Normal state without selection




Normal state with selection



Menu open without selection




Menu open with selection





Disabled State




Chart - Donut



● Label 1 ● Label 2 ● Label 3 ● Label 4 ● Label 5 ● Others




Legend Padding



● Label 1 ● Label 2 ● Label 3 ● Label 4 ● Label 5 ● Others

Focus



Hover over slice






Chart - Legends



● Label 1 ● Label 2 ● Label 3 ● Label 4 ● Label 5 ● Others



Legend Alignment
Horizontally center align within the dashlet

● Label 1 ● Label 2 ● Label 3 ● Label 4 ● Label 5 ● Others

Legend Icon
Size: 1.2

Legend Label
Font style: CiscoSans 400
Font size: 1.1
Font color: #555555

H
0.5

Default Label Padding

● Label 1 ● Label 2 ● Label 3 ● Label 4 ● Label 5 ● Others

Red arrows indicate a padding of 3 between each label.

Minimum Label Padding

● Label 1 ● Label 2 ● Label 3 ● Label 4 ● Label 5 ● Others

Red arrows indicate a padding of 1 between each label.

Label Truncation

● Labe... ● Labe... ● Labe... ● Labe... ● Labe... ● Othe...

Red arrows indicate a padding of 1 between each truncated label.

Legend States

● Label 1

Show Value
Border: none

○ Label 2

Hide Value
Border: 0.1
Fill Color: #FFFFFFF

Chart - Colors

Severity Palette



Critical
Color: #FF1744



Major
Color: #FF7D00



Minor
Color: #FFDD00



Warning
Color: #40C4FF



Info
Color: #00C7B3

Critical Alarms Palette



Critical
Color: #FF1744



Critical 2
Color: #FF4569




Critical 3
Color: #FF748F



Critical 4
Color: #FFB9C7

Other



Unused / Disabled
Color: #DDDDDD



Other / No Data
Color: #999999



Total
Color: #666666

Standard Palette



Standard Color
Color: #78AAFF



Standard Color 2
Color: #337EFF



Standard Color 3
Color: #1A5CCD



Standard Color 4
Color: #123D87




Standard Color 5
Color: #001E5A



Standard Color 6
Color: #666699





Standard Color 7
Color: #9494B8



Standard Color 8
Color: #B3B3CC

Chart - Line



Padding with two y-axis






Chart - Line (Hover)









Chart - Bar



Padding with two y-axis









Chart - Bar (Hover + Group)

Hover State



Bar Grouping











Chart - Area



Area
Fill opacity: 75%
Stroke: 0.3
Stroke color: #FFFFFF



Breadcrumb

Analyze / Policy / **Security Adherence**

Breadcrumb Page Title
Analyze / Policy / **Security Adherence**

Analyze / Policy / **Security Adherence**

Breadcrumb
Font weight: 400
Font size: 1.6
Font color: #555555

Page Title
Font weight: 700
Font size: 1.6
Font color: #333333

Analyze / Policy / **Security Adherence**

Hover State
Font weight: 400
Font size: 1.6
Font color: #555555
Text-decoration: underline



Cisco Network Assurance Engine

Version 0.9.0.171.ova

Build ID	1229
Build Time	February 5 2018, 7:13:24 PM PST February 6 2018, 3:13:24 AM UTC
Appliance Time	February 5 2018, 7:13:24 PM PST February 6 2018, 3:13:24 AM UTC
Appliance Model	CNAE-V500-S2-master

Terms and Conditions

Cisco's End User License Agreement (www.cisco.com/go/eula) and any Cisco Network Assurance Engine Supplemental End User License Agreement (collectively, "EULA") govern your use of this Product.

Close



About Page Specification

Modal
Fill: #323440
Opacity: 90%

78

Icon
Size: 1.6
Fill: #999999

Candid Logo
Size: 7.2

Product Name
Font size: 3.2
Font weight: 100
Font color: #333333

Version Number
Font size: 1.8
Font weight: 100
Font color: #333333

Label	Value
Build ID	1229
Build Time	February 5 2018, 7:13:24 PM PST February 6 2018, 3:13:24 AM UTC
Appliance Time	February 5 2018, 7:13:24 PM PST February 6 2018, 3:13:24 AM UTC
Appliance Model	CNAE-V500-S2-master

Label
Font size: 1.4
Font weight: 400
Font color: #555555

Value
Font size: 1.4
Font weight: 700
Line height: 2
Font color: #333333
Font color (UTC): #999999

Divider
Width: 45
Height: 0.1
Color: #DDDDDD

Terms and Conditions

T&C Title
Font size: 1.4
Font weight: 700
Font color: #555555

Cisco's End User License Agreement (www.cisco.com/go/eula) and any Cisco Network Assurance Engine Supplemental End User License Agreement (collectively, "EULA") govern your use of this Product.

T&C Text
Font size: 1.1
Font weight: 400
Font color: #555555

Close



About Box
Bg color: #FFFFFF
Align: Horizontal and vertical align center to screen

Cisco Logo
Size: 4.8
Color: #00A3ED

Copy Right Text
Font size: 1.1
Font weight: 400
Font color: #555555

70

Dialog Specification



Font Guide

[Default Body Font](#)

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Praesent ornare, risus id iaculis tristique, dolor mauris venenatis diam, a auctor mi tellus id purus. Maece-nas lobortis, metus nec laoreet pharetra, quam dolor tristique libero, sit amet aliquam diam turpis vel libero. Nulla eu libero vulputate, cursus dui eget, male-suada libero. Donec sollicitudin et urna nec condimentum.

CiscoSans 400, #333333, 1.4 rem, line-height: 2 rem

[General Font Styling](#)

Hint Text Font Style CiscoSans, #999999

Disabled Font Style CiscoSans, #CCCCCC

Link Font Style CiscoSans, #00A3ED

[Link Font Style \(Hover\)](#) CiscoSans, 00A3ED, Underline

[Heading Font size](#)

h1. Font Example

CiscoSans, 4.8 rem

h2. Font Example

CiscoSans, 3.2 rem

h3. Font Example

CiscoSans, 2.4 rem

h4. Font Example

CiscoSans, 1.8 rem

h5. Font Example

CiscoSans, 1.4 rem


h6. Font Example

CiscoSans, 1.1 rem



h7. Font Example

CiscoSans, 1 rem

Vertical Dot Navigation



On Hover



Minimized Header Overview




[Default View \(Single Time\)](#)

  | Change Management / **Real-time Change Analysis**  05:30 PM PST 

[Default View \(Time Range\)](#)





  | Change Management / **Real-time Change Analysis**  05:30 PM PST to  05:30 PM PST 

[With Menu Open View](#)

  | Change Management / **Real-time Change Analysis**  05:30 PM PST 

Dashboard **Change Management** ▼ Verify & Diagnose ▼ Planning Compliance & Audit ▼ Events

Minimized Header Specification



Minimized Header 2nd Level Menu Specification

The image displays three screenshots of a header menu, illustrating the specification for the 2nd level menu. The header contains the following elements from left to right: a logo, a hamburger menu icon, the breadcrumb text "Change Management / Real-time Change Analysis", a date and time display "DEC 14 05:30 PM PST", and a search icon.

The main menu items are: Dashboard, Change Management (selected), Verify & Diagnose, Planning, Compliance & Audit, and Events.

Dimensions (Screenshot 1):

- Overall header height: 3.7
- Menu bar height: 3.6
- Menu bar padding: 0.1
- Dashboard width: 5
- Change Management width: 4
- Verify & Diagnose width: 4
- Planning width: 4
- Compliance & Audit width: 4
- Events width: 4

Specifications (Screenshot 2):

- Change Management label height: 0.5
- Verify & Diagnose label height: 0.5
- Compliance & Audit label height: 0.5
- Change Management label padding: 1
- Verify & Diagnose label padding: 1
- Compliance & Audit label padding: 1

Specifications (Screenshot 3):

- Selected / Hover Menu Label:** Size: 1.4, Weight: 700, Color: #338FFF, @brand-selected-blue
- Selection Indicator:** Height: 0.1, Color: #338FFF, @brand-selected-blue
- Arrow Icon:** Size: 0.8, Default Color: #999999, @dark-gray-6, Hover/Selected Color: #338FFF, @brand-selected-blue
- Menu Label:** Size: 1.4, Weight: 700, Color: #999999, @dark-gray-6
- Border:** Height: 0.1, Color: #DDDDDD, @light-gray-3

Events

10 events total |  |  | 















Severity ▼	Event Code	Description	Provider EPG	Action
Filter ▼	Filter ▼		Filter	
	APPLIANCE_WEB_SERVICES_OPERATION_NORMAL	Infrastructure resources operating normally	DB	
	APPLIANCE_DATABASE_REACHING_LIMIT	Database has reached a key utilization threshold	DB	
	CLUSTER_OPERATING_BEYOND_CAPACITY	Cluster is operating at a lower capacity in comp...	DB	
	APPLIANCE_INFRA_RESOURCE_OPERATION_NORMAL	Infrastructure resources operating normally	DB	
	APPLIANCE_DATABASE_OPERATION_NORMAL	Infrastructure resources operating normally	DB	
	CLUSTER_OPERATING_BEYOND_CAPACITY	Cluster is operating at a lower capacity in com...	DB	
	APPLIANCE_DATABASE_OPERATION_NORMAL	Infrastructure resources operating normally	epg1-valid	

Table Padding Specification

Events

Severity ¹ _{0.5} ^{min 1 1}	Event Code	Description ^{min 1 1}	Provider EPG ^{min 1 1}	Action ^{min 1 1}
Filter ¹	Filter ¹		Filter	
✖	APPLIANCE_WEB_SERVICES_OPERATION_NORMAL	Infrastructure resources operating normally	DB	✎
✖	APPLIANCE_DATABASE_REACHING_LIMIT	Database has reached a key utilization threshold	DB	✎
⚠	CLUSTER_OPERATING_BEYOND_CAPACITY	Cluster is operating at a lower capacity in comp...	DB	✎
✔	APPLIANCE_INFRA_RESOURCE_OPERATION_NORMAL	Infrastructure resources operating normally	DB	✎
✔	APPLIANCE_DATABASE_OPERATION_NORMAL	Infrastructure resources operating normally	DB	✎
✔	CLUSTER_OPERATING_BEYOND_CAPACITY	Cluster is operating at a lower capacity in com...	DB	✎
✔	APPLIANCE_DATABASE_OPERATION_NORMAL	Infrastructure resources operating normally	epg1-valid	✎

10 events total | ⚙️ | ☰ | ☰

⏪ 1 2 3 4 5 6 7 ... 552 ⏩

Rows 10 25 50 100

Table Specification

Events

10 events total | ⚙️ | 🗪 | ☰

Severity ▼	Event Code	Description	Provider EPG	Action
Filter ▼	Filter ▼		Filter	
✖	APPLIANCE_WEB_SERVICES_OPERATION_NORMAL	Infrastructure resources operating normally	DB	✎
✖	APPLIANCE_DATABASE_REACHING_LIMIT	Database has reached a key utilization threshold	DB	✎
⚠	CLUSTER_OPERATING_BEYOND_CAPACITY	Cluster is operating at a lower capacity in comp...	DB	✎
✔	APPLIANCE_INFRA_RESOURCE_OPERATION_NORMAL	Infrastructure resources operating normally	DB	✎
✔	APPLIANCE_DATABASE_OPERATION_NORMAL	Infrastructure resources operating normally	DB	✎
✔	CLUSTER_OPERATING_BEYOND_CAPACITY	Cluster is operating at a lower capacity in com...	DB	✎
✔	APPLIANCE_DATABASE_OPERATION_NORMAL	Infrastructure resources operating normally	epg1-valid	✎

< 1 2 3 4 5 6 7 ... 552 >

Rows 10 25 50 100

Column Header
Size: 1.4
Weight: 700
Color: #333333, @dark-gray-5

Icon
Size: 0.8
Color: #333333, @dark-gray-5

Column Border
Color: #999999, @dark-gray-6

Table Data
Size: 1.4
Weight: 400
Color: #555555, @dark-gray-2


Icon
Size: 1.6
Color: #999999, @dark-gray-6

Table Border
Color: #EEEEEE, @light-gray



Hover / Selected Row
Color: #E6F1FF

Table Settings Specification


Global Toolbar



Global Toolbar (Without View Switcher)



Page Count



Row Count




Table Stack Sort / Filter Specification

Column Stack Sort

Severity ▼ ¹	Event Code ▼ ²	Description ¹	Provider EPG ▲ ³	Action
Filter ▼	Filter ▼		Filter	

Severity ▼ ^{0.3}	Event Code ▼ ²	Description	Provider EPG ▲ ³	Action
Filter ▼	Filter ▼		Filter	

Stack Sort Order
Size: 1.1
Weight: 700
Color: #555555, @dark-gray-2

Column Filter

Severity ▼ ¹	Event Code ▼ ²	Description	Provider EPG ▲ ³	Action
<input type="checkbox"/>	Filter ▼		DB ×	

Severity ▼ ^{0.3}	Event Code ▼ ²	Description	Provider EPG ▲ ³	Action
<input type="checkbox"/>	Filter ▼		DB ×	



3

1 1 1

Filter
Border stroke: 0.1
Bg color: #FFFFFF, @white
Border color: #338FFF, @brand-selected-blue
Corner radius: 0.3

Filter Text % Icon
Font size: 1.4
Action icon size: 0.8
Color: #338FFF, @brand-selected-blue

Analysis Picker Padding Specifications



Analysis Picker Elements Specifications

Calendar Scroll Arrow

< **Default**
 Size: 1.6
 Color: #999999, @dark-gray-6

< **Hover / Press**
 Color: #338FFF, @brand-selected-blue

< **Disabled**
 Color: #DDDDDD, @light-gray-3

Date Selection

May 2017

S	M	T	W	T	F	S
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

Start / End Date: 24
 Selected Between Dates: 24

Date / Time Fields

05 / 24 / 2017 12:54 PM PDT Now

Icon Size: 1.6 Text Field Follow text box spec Check Box Follow check box spec

Dropdown list Follow dropdown list spec

8	52	AM
9	53	PM
10	54	
11	55	
12	56	

5 5 4.8

Month Size: 1.8 Weight: 400 Color: #333333, @dark-gray-5
 Year Size: 1.8 Weight: 300 Color: #555555, @dark-gray-2

Weekday Size: 1.4 Weight: 700 Color: #333333, @dark-gray-5
 Day Size: 1.4 Weight: 400
 Default color: #555555, @dark-gray-2
 Selected color: #FFFFFF, @white
 Disabled color: #CCCCCC, @light-gray-1

Epoch Indicator Size: 0.3 Border-radius: 0.2
 Selected / Hover Date Size: 2.4 Border-radius: 1.2 Fill color: #338FFF, @brand-selected-blue


April 2017 May 2017

S	M	T	W	T	F	S
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30						


Local Search Filter Overview

Event Name ENFORCED_VRF_POLICY_VIOLATION ×
Subject security_events_subject1 ×
✖ ⚠ ⚡ ! ✓ × Reset


Default view



Entering filter



Select filter



Leaf
#0AA096



EPG
#7C6FCC



Tenant
#008CAA



VRF
#1F62C7



Application Profile
#555591



BD
#5571E8



Event Name
#8E96A2



Contract
#3F5273



Filter
#6982AC



Subject
#9CADC9



L3Out
#917C6E



L2Out
#574A42

Tooltip / Popover

